EROS



BLACK / GREY
HD6F118 / HD6F119
Natural
60x60 / 23.6x23.6”

BLACK HD6F118

Natural

60x60 / 23.6x23.6”

EROS

COLOR

COLOR

BEIGE

60x60 cm 23.6x23.6”

BLACK



60x60 cm 23.6x23.6”

GREY



60x60 cm 23.6x23.6”

EROS

SIZE / FINISH

Natural R10/P4 | Bush Hammered R11/P5 | SHADE VARIATION V3 HIGH

SIZE

60X60 CM
23.6x23.6”

FINISH

NA NATURAL

BH BUSH HAMMERED

PRODUCT SPECIFICATIONS

COLOE | SIZE FINISH		60X60 CM 23.6x23.6”
BEIGE	Natural	HD6F120 / DT1
	Bush Hammered	HD6F120G / DT1
GREY	Natural	HD6F119 / DT1
	Bush Hammered	HD6F119G / DT1
BLACK	Natural	HD6F118 / DT1
	Bush Hammered	HD6F118G / DT1

	Water Absorption (%)	Dimension (mm) Length	Dimension (mm) Width	Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 2.0	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
60X60 CM 23.6x23.6”	≤ 0.5	± 0.4	± 0.4	± 0.4	± 0.4	+0.8~-0.4	+0.8~-0.4	± 1.0	± 0.6

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
EN14411 (ISO 13006)	S≥1300N / R≥35N/mm²	Test method available	Minimum GB	Resistant	Resistant	Minimum class 3
60X60 CM 23.6x23.6”	S≥2200N / R≥38N/mm²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 4

PACKING LIST

	Pcs Per M^2	Pcs Per Box	Weight Per Box	Boxes Per PLT	Boxes Per EU PLT
60X60 CM 23.6x23.6”	2.78	4	32	64	-