

FOLIATION

SILVER
G8501
Grip
18x45 / 7.1x17.7"





FOLIATION

COLOR




SILVER
G8501
18X45 CM
7.1X17.7"



BEIGE
G8503
18X45 CM
7.1X17.7"



TAN
G8505
18X45 CM
7.1X17.7"



GREY
G8502
18X45 CM
7.1X17.7"

SILVER
G8501
Grip
18x45 / 7.1x17.7"

FOLIATION

SIZE / FINISH

18X45 cm
7.1x17.7"

Grip
GR



Grip
R12
P5







Shade Variation

V3
HIGH

PRODUCT SPECIFICATIONS

COLOR SIZE FINISH		18x45 cm 7.1x17.7"	Regular
SILVER	Grip	G8501	•
BEIGE	Grip	G8503	•
TAN	Grip	G8505	•
GREY	Grip	G8502	•

	 Water Absorption (%)	 Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
	Length	Width							
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 0.9	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
18X45 CM 7.1X17.7"	≤ 0.5	± 1.4	± 0.8	± 0.5	± 1.0	+0.8~-0.4	+0.8~-0.4	± 1.0	± 1.0

	 Breaking Strength Modulus of Rupture	 Thermal Shock Resistance	 Resistance to Chemical	 Glazed Crack Resistance	 Frost Resistance	 Stain Resistance
	EN14411 (ISO 13006)	S≥1300N / R≥35N/mm ²	Test method available	Minimum GB	Resistant	Resistant
18X45 CM 7.1X17.7"	S≥2200N / R≥38N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 4

PACKING LIST	Pcs Per M ²	Pcs Per Box	Weight Per Box	Boxes Per PLT
18X45 CM 7.1X17.7"	12.35	10	16.9	100