



RIB

LINEN / CLOUD / BONE / PEWTER
5451L / 5452L / 5453L / 5455L
Natural
4X25 / 1.6X9.8"



RIB

COLOR



LINEN
5451L
4X25 CM
1.6X9.8"



PEWTER
5455L
4X25 CM
1.6X9.8"



CLOUD
5452L
4X25 CM
1.6X9.8"



CEMENT
5459L
4X25 CM
1.6X9.8"



BONE
5453L
4X25 CM
1.6X9.8"



CREEK
5457L
4X25 CM
1.6X9.8"



WHEAT
5456L
4X25 CM
1.6X9.8"



TAN
5458L
4X25 CM
1.6X9.8"

PEWTER
5455L
Natural
4X25 / 1.6X9.8"

RIB

SIZE / FINISH



4X25 cm
1.6x9.8"

Natural



PRODUCT SPECIFICATIONS

COLOR SIZE FINISH		4x25 cm 1.6x9.8"	Regular
LINEN	Natural	5451L	•
CLOUD	Natural	5452L	•
BONE	Natural	5453L	•
WHEAT	Natural	5456L	•
PEWTER	Natural	5455L	•
CEMENT	Natural	5459L	•
CREEK	Natural	5457L	•
TAN	Natural	5458L	•

	Water Absorption (%)	Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
		Length	Width						
EN14411 (ISO 13006)	+0.5~+3.0	± 1.5	± 0.9	± 0.5	± 1.3	± 1.3	± 1.3	± 1.3	± 1.3
4X25 CM 1.6X9.8"	≤ 2.0	± 1.2	± 0.8	± 0.4	± 0.6	+0.8~-0.4	+0.8~-0.4	± 0.8	± 0.8

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
	EN14411 (ISO 13006)	S≥1100N / R≥30N/mm ²	Test method available	Minimum GB	Resistant	Resistant
4X25 CM 1.6X9.8"	S≥1200N / R≥30N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 4

PACKING LIST	Pcs Per M ²	Pcs Per Box	Weight Per Box	Boxes Per PLT
4X25 CM 1.6X9.8"	100	80	16.0	100