CORTEN STEEL

OXIDISED MATT / OXIDISED QUAD
DF71015Y / DC71015YT
Natural 75x150 / 29.5x59.1”

OXIDISED MATT
DF71015Y
Natural 75x150 / 29.5x59.1”

CORTEN STEEL

COLOR

OXIDISED MATT

75x150 cm 29.5x59.1”

720° VR

DECOR

OXIDISED QUAD

75x150 cm 29.5x59.1”

CORTEN STEEL

NATURAL
R9 / P2

SHADE VARIATION
V3
HIGH

SIZE

75X150 CM
29.5x59.1”

FINISH

NA

Natural

PRODUCT SPECIFICATIONS

COLOR | SIZE FINISH		75x150 cm 29.5x59.1”	Regular	Anion
OXIDISED MATT	Natural	DF71015Y	•	•
OXIDISED QUAD	Natural	DC71015YT	-	•

	Water Absorption (%)	Dimension (mm) Length	Dimension (mm) Width	Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 2.0	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
75X150 CM 29.5x59.1”	≤ 0.1	± 0.5	± 0.5	± 0.4	± 0.4	+1.2~-0.8	+0.8~-0.6	± 1.0	± 1.0

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
EN14411 (ISO 13006)	S≥1300N / R≥35N/mm²	Test method available	Minimum GB	Resistant	Resistant	Minimum class 3
75X150 CM 29.5x59.1”	S≥2200N / R≥38N/mm²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5

PACKING LIST	Pcs Per M^2	Pcs Per Box	Weight Per Box	Boxes Per PLT
75X150 CM 29.5x59.1”	0.89	2	58	15