

# CALACATTA



**CALACATTA**  
**A601465 / A611465**  
Glazed Polished  
60x60 & 60x120 / 23.6x23.6" & 23.6x47.2"

# CALACATTA

COLOR

---

## CALACATTA


A611465



60x120 cm 23.6x47.2"

CALACATTA  
A601465  
Glazed Polished 60x60 / 23.6x23.6"


# CALACATTA



## SIZE



## FINISH



## PRODUCT SPECIFICATIONS

COLOR   SIZE FINISH	30x60 cm 11.8x23.6"	60x60 cm 23.6x23.6"	By Request	45x90 cm 17.7x35.4"	Anion	90x90 cm 35.4x35.4"	Regular	Anion	60x120 cm 23.6x47.2"	By Request
Flamed Brushed	C631465	C601465	•	-	-	-	-	-	-	-
Glazed Polished	A631465	A601465	•	A49700Y	•	A90700Y	•	•	A611465	•
Natural	631465	601465	•	-	-	-	-	-	-	-

	Water Absorption (%)	Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
		Length	Width						
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 2.0	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
<b>30X60 CM</b> 11.8x23.6"	≤ 0.1	± 0.4	± 0.4	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 0.8	± 0.6
<b>60X60 CM</b> 23.6x23.6"	≤ 0.1	± 0.4	± 0.4	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 0.8	± 0.8
<b>45X90 CM</b> 17.7x35.4"	≤ 0.1	± 0.5	± 0.5	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 1.0	± 1.0
<b>90X90 CM</b> 35.4x35.4"	≤ 0.1	± 0.5	± 0.5	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 1.0	± 1.0
<b>60X120 CM</b> 23.6x47.2"	≤ 0.1	± 0.5	± 0.5	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 1.0	± 1.0

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
<b>30X60 CM</b> 11.8x23.6"	S≥2000N / R≥38N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
<b>60X60 CM</b> 23.6x23.6"	S≥2200N / R≥38N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
<b>45X90 CM</b> 17.7x35.4"	S≥2600N / R≥40N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
<b>90X90 CM</b> 35.4x35.4"	S≥2600N / R≥40N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
<b>60X120 CM</b> 23.6x47.2"	S≥2600N / R≥40N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5

PACKING LIST	Pcs Per M <sup>2</sup>	Pcs Per Box	Weight Per Box	Boxes Per PLT
<b>30X60 CM</b> 11.8x23.6"	5.56	7	27	40
<b>60X60 CM</b> 23.6x23.6"	2.78	4	32	32
<b>45X90 CM</b> 17.7x35.4"	2.47	3	31	40
<b>90X90 CM</b> 35.4x35.4"	1.23	2	41	30
<b>60X120 CM</b> 23.6x47.2"	1.39	2	38	48