

# NIAGARA

IVORY PN600023  
Natural  
60x60 / 23.6x23.6"





# NIAGARA

COLOR

**IVORY**

PN600023

60x60cm 23.6x23.6"

**GREY**


PN600024

60x60cm 23.6x23.6"

**CHARCOAL**

PN600026


60x60cm 23.6x23.6"




**GREY PN600024**

Natural  
60x60 / 23.6x23.6"


# NIAGARA




## SIZE



## FINISH



Grip



Natural

## PRODUCT SPECIFICATIONS

COLOR   SIZE FINISH		30x60 cm 11.8x23.6"	Regular	60x60 cm 23.6x23.6"	By Request
IVORY	Grip	-	-	PN600023H	•
	Natural	PN630023	•	PN600023	•
GREY	Grip	-	-	PN600024H	•
	Natural	PN630024	•	PN600024	•
CHARCOAL	Grip	-	-	PN600026H	•
	Natural	PN630026	•	PN600026	•

	Water Absorption (%)	Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
		Length	Width						
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 2.0	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
<b>30X60 CM</b> 11.8x23.6"	≤ 0.1	± 0.4	± 0.4	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 0.8	± 0.6
<b>60X60 CM</b> 23.6x23.6"	≤ 0.1	± 0.4	± 0.4	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 0.8	± 0.8

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
<b>30X60 CM</b> 11.8x23.6"	S≥2000N / R≥38N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
<b>60X60 CM</b> 23.6x23.6"	S≥2200N / R≥38N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5

PACKING LIST		Pcs Per M <sup>2</sup>	Pcs Per Box	Weight Per Box	Boxes Per PLT
<b>30X60 CM</b> 11.8x23.6"		5.56	7	27	60
<b>60X60 CM</b> 23.6x23.6"		2.78	4	32	32