


WAVE GREY



GREY
PNN900352
Satin 90x90 / 35.4x35.4"





LIGHT GREY / STRIP GREY
PNN900351 / PNC490352T2

Satin / Natural
90x90 & 45x90
35.4x35.4" & 17.7x35.4"

WAVE GREY

COLOR _____

LIGHT GREY


PNN900351



90x90 cm 35.4x35.4"

GREY

PNN900352




90x90 cm 35.4x35.4"

DECOR _____

STEEL GREY

PNC490352T1



45x90 cm 17.7x35.4"

STRIP GREY

PNC490352T2





45x90 cm 17.7x35.4"


WAVE GREY




SIZE



FINISH



Natural



Satin



Sand Blasted

PRODUCT SPECIFICATIONS

COLOR SIZE FINISH	Variation	45x90 cm 17.7x35.4"	60x60 cm 23.6x23.6"	Regular	By Request	90x90 cm 35.4x35.4"	By Request
LIGHT GREY	Natural	V3	-	PNF600351	•	-	-
	Satin	V3	PNN490351	PNN600351	-	•	PNN900351
GREY	Natural	V3	-	PNF600352	•	-	-
	Satin	V3	PNN490352	PNN600352	-	•	PNN900352
	Sand Blasted	V3	-	PNC600352	-	•	-
STEEL GREY	Natural	V2	PNC490352T1	-	-	-	-
STRIP GREY	Natural	V2	PNC490352T2	-	-	-	-

	Water Absorption (%)	Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
		Length	Width						
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 2.0	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
45X90 CM 17.7x35.4"	≤ 0.1	± 0.5	± 0.5	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 1.0	± 1.0
60X60 CM 23.6x23.6"	≤ 0.1	± 0.4	± 0.4	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 0.8	± 0.8
90X90 CM 35.4x35.4"	≤ 0.1	± 0.5	± 0.5	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 1.0	± 1.0

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
EN14411 (ISO 13006)	S≥1300N / R≥35N/mm ²	Test method available	Minimum GB	Resistant	Resistant	Minimum class 3
45X90 CM 17.7x35.4"	S≥2600N / R≥40N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
60X60 CM 23.6x23.6"	S≥2200N / R≥38N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
90X90 CM 35.4x35.4"	S≥2600N / R≥40N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5

PACKING LIST	Pcs Per M ²	Pcs Per Box	Weight Per Box	Boxes Per PLT
45X90 CM 17.7x35.4"	2.50	3	31	44
60X60 CM 23.6x23.6"	2.78	4	34	32
90X90 CM 35.4x35.4"	1.23	2	41	30